

VertiPure™ PES Syringe Filters

VertiPure™ PES Syringe Filters

- Ideal for aqueous based samples
- General filtration of biological samples
- Available in 4mm, 13mm, 17mm and 25mm diameter membranes
- Includes Certificate of Analysis for leakage, extractables and particle size distribution

VertiPure™ PES (Polyethersulfone) is hydrophilic, limited solvent resistance, low protein binding and good flow rate characteristics. VertiPure™ PES ideals for aqueous based samples and biological samples.

VertiPure™ PES Syringe Filter with 1.0µm Glass microfilter Prefilter offers excellent for filtration of viscous or particle laden samples without clogging.

Specifications		Diameter(mm)			
Properties		4	13	17	25
Bubble point ¹ (psi)	0.2µm	50			
	0.45µm	35			
Typical Flow rate ² (mL/min/cm ²)	0.2µm	33			
	0.45µm	58			
Membrane Material	Polyethersulfone				
Housing Material	Pigment-free Polypropylene				
Connector (inlet/outlet)	Female Luer Lock/Male Luer Slip				
Burst Pressure ³ (psi)	75	100	90	80	
Retain Volume ⁴ (µL)	10	30	45	125	
Sample Volume(mL)	2	10	30	150	
Packaging	4, 13, 17mm	PP Thread Bottle			
	25mm	Corrugated Box			

¹ Bubble point is the minimum pressure required to force air through a membrane which has been prewet with water.

² Flow rate is initial flow rate at 10psi using water.

³ Burst pressure is the maximum pressure to force air through a closed outlet end housing.

⁴ Retention volume is a volume of solvent retained inside the housing.



Filtration

Ordering Information			
Size	Pore Size	QTY	Part No.
VertiPure™ PES Syringe Filters with 1.0µm GMF Prefilter			
13mm	0.2µm	100	0201-6201
		500	0201-6205
		1000	0201-6210
	0.45µm	100	0201-6401
		500	0201-6405
		1000	0201-6410
17mm	0.2µm	100	0202-6201
		500	0202-6205
		1000	0202-6210
	0.45µm	100	0202-6401
		500	0202-6405
		1000	0202-6410
25mm	0.2µm	100	0203-6201
		500	0203-6205
		1000	0203-6210
	0.45µm	100	0203-6401
		500	0203-6405
		1000	0203-6410

Ordering Information			
Size	Pore Size	QTY	Part No.
VertiPure™ PES Syringe Filters			
4mm	0.2µm	100	0200-6101
		500	0200-6105
		1000	0200-6110
	0.45µm	100	0200-6301
		500	0200-6305
		1000	0200-6310
13mm	0.2µm	100	0201-6101
		500	0201-6105
		1000	0201-6110
	0.45µm	100	0201-6301
		500	0201-6305
		1000	0201-6310
17mm	0.2µm	100	0202-6101
		500	0202-6105
		1000	0202-6110
	0.45µm	100	0202-6301
		500	0202-6305
		1000	0202-6310
25mm	0.2µm	100	0203-6101
		500	0203-6105
		1000	0203-6110
	0.45µm	100	0203-6301
		500	0203-6305
		1000	0203-6310